

**LABOR RELATIONS DIVISION**

401 Broadway NE
Albuquerque, NM 87102
Phone: 505-841-4400
Fax: 505-841-4424

226 South Alameda Blvd
Las Cruces, NM 88005
Phone: 575-524-6195
Fax: 575-524-6194

WWW.DWS.STATE.NM.US**Wage Decision Approval Summary**

1) Project Title: Hobbs HS Freshman School - Install New TPO Roofing 9132500162 CES KCB
Requested Date: 07/31/2024
Approved Date: 08/01/2024
Approved Wage Decision Number: LE-24-2472-B

Wage Decision Expiration Date: 11/29/2024

2) Physical Location of Jobsite for Project:
Job Site Address: 800 N Jefferson St.
Job Site City: Hobbs
Job Site County: Lea

3) Contracting Agency Name (Department or Bureau): Hobbs Municipal Schools
Contracting Agency Contact's Name: Gene Strickland
Contracting Agency Contact's Phone: (575) 433-0100 Ext.

4) Estimated Contract Award Date: 07/24/2024

5) Estimated total project cost: \$199,337.08

a. Are any federal funds involved?: No

b. Does this project involve a building?: Yes

- HYDROVAC ALL BALLAST FROM THE BUILT UP ROOF ASSEMBLY. SWEEP LOOSE AND EMBEDDED GRAVEL AND REMOVE. REMOVE ANY EXISTING BLISTERS. INSTALL 1" ISO IN PLACE OF THE GRAVEL BALLAST. MECHANICALLY FASTEN 1/2" DENSDECK TO TO STRUCTURAL METAL DECK. FULLY ADHERE 60MIL TPO ROOFING SYSTEM TO FLAT ROOF AREA AND PARAPET WALLS. TERMINATE TPO AT PARAPET WALLS APPROX 6" ABOVE ROOF DECK USING PERFORATED TERMINATION BAR. FLASH ALL APPLICABLE ROOF DRAINS, HVAC CURBS, PIPE PENETRATIONS TO INDUSTRY STANDARDS. CLEAN UP AND DISPOSE OF DEBRIS

c. Is this part of a larger plan for construction on or appurtenant to the property that is subject to this project?: No

d. Are there any other Public Works Wage Decisions related to this project?: No

e. What is the ultimate purpose or functional use of the construction once it is completed?:

HYDROVAC ALL BALLAST FROM THE BUILT UP ROOF ASSEMBLY. SWEEP LOOSE AND EMBEDDED GRAVEL AND REMOVE. REMOVE ANY EXISTING BLISTERS. INSTALL 1" ISO IN PLACE OF THE GRAVEL BALLAST. MECHANICALLY FASTEN 1/2" DENSDECK TO TO STRUCTURAL METAL DECK. FULLY ADHERE 60MIL TPO ROOFING SYSTEM TO FLAT ROOF AREA AND PARAPET WALLS. TERMINATE TPO AT PARAPET WALLS APPROX 6" ABOVE ROOF DECK USING PERFORATED TERMINATION BAR. FLASH ALL APPLICABLE ROOF DRAINS, HVAC CURBS, PIPE PENETRATIONS TO INDUSTRY STANDARDS. CLEAN UP AND DISPOSE OF DEBRIS

6) Classifications of Construction:

Classification Type and Cost Total	Description
General Building (B) Cost: \$199,337.08	HYDROVAC ALL BALLAST FROM THE BUILT UP ROOF ASSEMBLY. SWEEP LOOSE AND EMBEDDED GRAVEL AND REMOVE. REMOVE ANY EXISTING BLISTERS. INSTALL 1" ISO IN PLACE OF THE GRAVEL BALLAST. MECHANICALLY FASTEN

1/2" DENSDECK TO TO STRUCTURAL METAL DECK. FULLY ADHERE 60MIL TPO ROOFING SYSTEM TO FLAT ROOF AREA AND PARAPET WALLS. TERMINATE TPO AT PARAPET WALLS APPROX 6" ABOVE ROOF DECK USING PERFORATED TERMINATION BAR. FLASH ALL APPLICABLE ROOF DRAINS, HVAC CURBS, PIPE PENETRATIONS TO INDUSTRY STANDARDS. CLEAN UP AND DISPOSE OF DEBRIS. 40 CY Dumpster (6 Ton) -Construction Debris-Includes delivery of dumpster. rental cost pick up -<1p OOSI. hauling. and disposal re.. Non-hazardous material. Saw Cut Minimum charge For projects where the total saw cutting charge is less than the minimum Charge use this &ask exclusively This task should not be used In conjunction with any other tasks In this section. 60 Md Single Ply TPO roofing membrane. Fully Adhered includes adhesive. 1/2" Thick. Fiberglass Mat Faced, Moisture resistant Gypsum Core, Roof protection Board. Cold adhesive Applied (Georgia-Pacific DensDeck®). For No Adhesive Deduct.