



**LABOR RELATIONS DIVISION**

401 Broadway NE  
Albuquerque, NM 87102  
Phone: 505-841-4400  
Fax: 505-841-4424

226 South Alameda Blvd  
Las Cruces, NM 88005  
Phone: 575-524-6195  
Fax: 575-524-6194

**WWW.DWS.STATE.NM.US**

**Wage Decision Approval Summary**

1) Project Title: Roy Walker Roof Replacement 20243333  
Requested Date: 03/04/2024  
Approved Date: 03/05/2024  
Approved Wage Decision Number: CU-24-0818-B

**Wage Decision Expiration Date for Bids: 07/03/2024**

2) Physical Location of Jobsite for Project:  
Job Site Address: 500 Sycamore  
Job Site City: Clovis  
Job Site County: Curry

3) Contracting Agency Name (Department or Bureau): City of Clovis  
Contracting Agency Contact's Name: LeighAnn Melancon  
Contracting Agency Contact's Phone: (575) 763-9632 Ext.

4) Estimated Contract Award Date: 02/27/2024

5) Estimated total project cost: \$802,232.72

a. Are any federal funds involved?: No

b. Does this project involve a building?: Yes

- Remove Existing roof in its entirety to tectum roof deck.

Remove all existing counter flashing and reglets.

Remove all Existing scupper bodies.

Remove all Existing Skylights on both gyms and replace with like kind tectum deck panels.

Replace tectum deck panels up to 3000 sqft including the skylights

o Reference to south west portion of south gym that has a temporary repair.

Install SureMB90 Base sheet with impact nail into Tectum Deck

Fully adhere 1 layer of 4 Polyiso (R- 23.5) to base sheet

Fully Adhere 115 MIL Fleeceback TPO to Polyiso in the field

Fully adhere 60 MIL TPO to walls

On Metal deck Structure (Storage room)

o Install 4 polyiso to deck using plates and fasteners.

o Fully adhere 115 MIL Fleeceback TPO to polyiso.

Install new 24 Gauge Color Clad Fascia

Install new 24 Gauge Color Clad Gutter and Downspouts to the West elevation of both gyms.

Install all new through wall scupper bodies and Metal coated scuppers

Install all new Termination bar and counter flashing for TPO on Parapet walls.

c. Is this part of a larger plan for construction on or appurtenant to the property that is subject to this project?: No

d. Are there any other Public Works Wage Decisions related to this project?: No

e. What is the ultimate purpose or functional use of the construction once it is completed?:

Remove Existing roof in its entirety to tectum roof deck.

Remove all existing counter flashing and reglets.

Remove all Existing scupper bodies.

Remove all Existing Skylights on both gyms and replace with like kind tectum deck panels.

Replace tectum deck panels up to 3000 sqft including the skylights

o Reference to south west portion of south gym that has a temporary repair.

Install SureMB90 Base sheet with impact nail into Tectum Deck  
 Fully adhere 1 layer of 4 Polyiso (R- 23.5) to base sheet  
 Fully Adhere 115 MIL Fleeceback TPO to Polyiso in the field  
 Fully adhere 60 MIL TPO to walls  
 On Metal deck Structure (Storage room)  
 o Install 4 polyiso to deck using plates and fasteners.  
 o Fully adhere 115 MIL Fleeceback TPO to polyiso.  
 Install new 24 Gauge Color Clad Fascia  
 Install new 24 Gauge Color Clad Gutter and Downspouts to the West elevation of both gyms.  
 Install all new through wall scupper bodies and Metal coated scuppers  
 Install all new Termin

6) Classifications of Construction:

Classification Type and Cost Total	Description
<p><b>General Building (B)</b>  <b>Cost: \$802,232.72</b></p>	<p>Remove Existing roof in its entirety to tectum roof deck.            Remove all existing counter flashing and reglets.            Remove all Existing scupper bodies.            Remove all Existing Skylights on both gyms and replace with like kind tectum deck panels.            Replace tectum deck panels up to 3000 sqft including the skylights</p> <p>o Reference to south west portion of south gym that has a temporary repair.            Install SureMB90 Base sheet with impact nail into Tectum Deck            Fully adhere 1 layer of 4 Polyiso (R- 23.5) to base sheet            Fully Adhere 115 MIL Fleeceback TPO to Polyiso in the field            Fully adhere 60 MIL TPO to walls            On Metal deck Structure (Storage room)            o Install 4 polyiso to deck using plates and fasteners.            o Fully adhere 115 MIL Fleeceback TPO to polyiso.            Install new 24 Gauge Color Clad Fascia            Install new 24 Gauge Color Clad Gutter and Downspouts to the West elevation of both gyms.            Install all new through wall scupper bodies and Metal coated scuppers            Install all new Termination bar and counter flashing for TPO on Parapet walls.</p>